

MORNINGSTAR corporation



45 or 60 amps up to 150Voc

- Advanced MPPT battery charger with logging
- Highest peak efficiency of 99%
- On board Ethernet option



45 or 60 amps at 12-48V

- Robust thermal design
- Extensive programmability & meter option
- Solar, wind or hydroelectric



- Networkable display for up to 15 devices
- Extensive data logging information
- 5 languages



300W: 12V DC input, 115V or 220V AC output

- Pure sine wave inverter
- 200% surge rating
- Fanless design



4.5 amps at 12V

- Very low self power use
- Low cost



15 or 30 amps at 12/24V or 48V

- Mid range with meter option
- Professional & consumer market



- Backlit display
- Battery status
- Solar & load information



6 or 12 amps at 12V

- Fits in the PV module junction box
- High temperature rating
- Waterproof



15 amps at 12/24V

- Advanced MPPT battery charger with logging
- Includes load control & automatic lighting control
- Remote meter option



25 amps at 12V

- For RV, boats, caravans & cottages
- Charges two separate batteries at the same time.



6, 10 or 20 amps at 12 or 24V

- Industrial rated
- Professional & consumer use



10 or 20 amps at 12 or 24V

- 10 lighting options
- Microprocessor timer accuracy

www.morningstarcorp.com

The World's Leading Solar Controllers & Inverters